

SINOX

Innovation Is What We Breathe




**MOBILE SECURITY
CATALOGUE
2023**



MOBILE SECURITY CATALOGUE 2023

CONTENTS



U-Lock	Page	4
Folding Lock	Page	8
Chain Lock	Page	14
Cable Lock	Page	20
Double Loop Lock	Page	24
Multi-Use Cable Lock	Page	28
Security Lock Box	Page	32
Alarm Lock	Page	34
Patent	Page	35


SINOX

Innovation, Service, and Quality

Established in 1978 by a team of aerospace engineers, Sinox has since grown into a world renowned security lock manufacturer distinguished for its innovative design, and manufacturing of quality products.

Over 40 years of experience supported by a team of 50 designers and engineers, our products have won much acclaim among our global clients. Here we introduce our 6 major product categories and clients in each category:

THE
world
COMES TO US FOR
SECURITY



Sports & Outdoor Security



Office NB & 3C Security



Two Wheel Security



Travel & Luggage Security



Household Storage Security



Cabinets Security



U-Lock



WD0125

Features


- 12 mm hardened steel shackle
- Double deadbolt provides additional protection against cut and twist
- Sliding dust cover against dirt and scatter pieces into the key access
- 3 keys included
- Transit bracket included
- High security disc-style cylinder is pick and drill resistant

Certification



WL8006

Spec Data



227
mm



100
mm



WEIGHT
1.1
kg



WL3001

Features

- 14 mm hardened steel shackle
- Double deadbolt provides additional protection against cut and twist
- Sliding dust cover against dirt and scatter pieces into the key access
- 3 keys included
- Transit bracket WL8006 included
- High security disc-style cylinder is pick and drill resistant

Certification



Spec Data

231.9 mm	74 mm	1.2 kg



WL3002

Features

- 14 mm hardened steel shackle
- Double deadbolt provides additional protection against cut and twist
- Sliding dust cover against dirt and scatter pieces into the key access
- 3 keys included
- Transit bracket WL8006 included
- High security disc-style cylinder is pick and drill resistant

Certification



Spec Data

231.9 mm	74 mm	1.2 kg



WD0870

Features

- 11 mm hardened steel shackle
- 2 keys included
- Transit bracket WL8006 included
- Disc-style cylinder

Spec Data



150 / 220 / 250 mm	106 mm	0.7 / 0.8 / 0.9 kg

Folding Lock



WL2001

Features

- 5 mm hardened steel shackle
- Push-to-lock convenient design
- Anti-scratch design to protect frame from scratches
- 3 keys included
- Transit bracket WL8004 included
- High security disc-style cylinder is pick and drill resistant

Certification



WL8004

Spec Data





WD0795


Features

- 3 mm hardened steel shackle
- Anti-scratch design to protect frame from scratches
- 2 keys included
- WL0975 transit bracket included
- Disc-style cylinder



WL0975

Spec Data



WL0790

Features

- 3 mm hardened steel shackle
- 4-digit resettable combination provides keyless security
- Anti-scratch design to protect frame from scratches
- WL0975 transit bracket included
- High visible large number dials



WL0975

Spec Data



reddot design award
winner 2011



WD0796

Features

- 3 mm hardened steel shackle
- Anti-scratch design to protect frame from scratches
- 2 keys included
- WL0976 transit bracket included
- Disc-style cylinder



WL0976

Spec Data



WL0798

Features

- 3 mm hardened steel shackle
- Unique folding design (reddot design awarded)
- Push-to-lock convenient design
- Anti-scratch design to protect frame from scratches
- 2 keys included
- WL0971 transit bracket included
- Tubular-style cylinder



WL0971

Spec Data





WL0780

Features

- 3.5 mm hardened steel shackle
- Anti-scratch design to protect frame from scratches
- 2 keys included
- WL0968 transit bracket included
- Tubular-style cylinder



WL0968

Spec Data



Unique Patented Double-Deck design



WL0794


Features

- 5 mm hardened steel shackle
- Anti-scratch design to protect frame from scratches
- 2 keys included
- WL0969 transit bracket included
- Disc-style cylinder



WL0969

Spec Data



WL0782


Features

- 3 mm hardened steel shackle
- Unique two-roll folding design
- Push-to-lock convenient design
- Anti-scratch design to protect frame from scratches
- 2 keys included
- WL8002 transit bracket included
- Tubular-style cylinder



WL8002

Spec Data



Chain Lock



WL6002

Features


- 9 mm hardened steel shackle
- Push-to-lock convenient design
- Nylon sleeve to protect frame from scratches
- Dust cover design
- 3 keys included
- High security disc-style cylinder for pick and drill resistant

Unique Flexible Strength

Certification



Spec Data






WL0856

Features


- 6 mm steel chain links
- Nylon sleeve to protect frame from scratches
- 2 keys included
- Disc-style cylinder

Spec Data

WL0425

Features


- 3 mm steel chain links
- 3-digit resettable combination provides keyless security
- Nylon sleeve to protect frame from scratches
- High visible large number dials

Spec Data

WL0427

Features


- 3 mm steel chain links
- 4-digit resettable combination provides keyless security
- Nylon sleeve to protect frame from scratches
- High visible large number dials

Spec Data

WL0428

Features


- 3 mm steel chain links
- 4-digit resettable combination provides keyless security
- Nylon sleeve to protect frame from scratches
- High visible large number dials

Spec Data

WL0628

Features

- 4 mm steel chain links
- 4-digit resettable combination provides keyless security
- Nylon sleeve to protect frame from scratches
- High visible large number dials


Spec Data



Features

- 4.5 mm steel chain links
- Nylon sleeve to protect frame from scratches
- 2 keys included
- Disc-style cylinder

Spec Data



WD0424




Features

- 8 mm steel chain links
- Nylon sleeve to protect frame from scratches
- Dust cover design
- New end link design secures the chain with the hardened deadbolt
- 2 stainless steel keys included
- Disc-style cylinder



Spec Data



WL6001

Cable Lock



WL0856

Features

- Strong locking mechanism for pick resistance
- Protective coating to prevent scratching
- Versatile for bikes, tools sport equipment and any others need security
- Optional with bike mount
- 2 keys included

Spec Data



WL0972 WL0979



8 / 10 / 12 / 15
mm



900 / 1,800
mm




WL0143

Features

- Dependable strength and security design
- Multi-use cable lock for any number of other locking cinching applications
- Corrosion-resistant and scratch-resistant design
- 2 keys included
- Disc-style cylinder
- Detachable cable for optional length

Spec Data



WL0633

Features

- Flexible steel cable designed for multi-purpose
- Corrosion-resistant and scratch-resistant cable
- 4-digit resettable combination with 10,000 possibilities
- Strong and secure
- High visible large number dials



Spec Data



WL0147

Features

- Dependable strength and security design
- Multi-use cable lock for any number of other locking cinching applications
- Corrosion-resistant and scratch-resistant design
- 2 keys included
- Disc-style cylinder

Spec Data



WL0657

Features

- Flexible steel cable designed for multi-purpose
- Corrosion-resistant and scratch-resistant cable
- 4-digit resettable combination with 10,000 possibilities
- Strong and secure
- High visible large number dials



Spec Data




WL0177

Features

- Dual steel cable design for higher cut resistance and security
- Strong locking mechanism for pick resistance
- Protective coating to prevent scratching
- Optional with reflective safety design
- 2 keys included

Spec Data




WL0433

Features

- Flexible steel cable designed for multi-purpose
- Corrosion-resistant and scratch-resistant cable
- 4-digit resettable combination with 10,000 possibilities
- Portable and secure
- High visible large number dials

Spec Data



Double Loop Lock




Double Loop Lock

RL0643

Features

- Double loop design secures multiple items at once
- Adjustable locking mechanism holds the cable tight at any position for a perfect fit
- Corrosion-resistant and scratch-resistant cable
- Optional with silicone sleeve for complete scratch resistance
- Custom keyed solutions
- 2 keys included
- Tubular-style cylinder
- Detachable cable for optional length

Spec Data






RL0646

Features

- Double loop design secures multiple items at once
- Adjustable locking mechanism holds the cable tight at any position for a perfect fit
- Optional with silicone sleeve for complete scratch resistance
- 4-digit resettable combination design
- Visible number dials
- Detachable cable for optional length

Spec Data




RL0647

Features

- Double loop design secures multiple items at once
- Adjustable locking mechanism holds the cable tight at any position for a perfect fit
- Corrosion-resistant and scratch-resistant cable
- 3-digit resettable combination design
- Visible number dials
- Detachable cable for optional length

Spec Data




RL0649

Features

- Double loop design secures multiple items at once
- Compact and durable makes easy storage in any condition
- Corrosion-resistant and scratch-resistant cable
- 3-digit resettable combination design
- Visible number dials
- Detachable cable for optional length

Spec Data




RL0672

Features

- Double loop design secures multiple items at once
- Patented adjustable locking mechanism holds the cable tight at any position for a perfect fit
- Multi-use cable lock for any number of other locking cinching applications
- Complete corrosion-resistant and scratch-resistant design
- 2 keys included
- Disc-style cylinder
- Detachable cable for optional length

Spec Data




RL0675

Features

- 8 mm steel chain links
- Dust cover design
- New end link design secures the chain with the hardened deadbolt
- 2 stainless steel keys included
- Disc-style cylinder
- Detachable cable for optional length

Spec Data



Multi-Use Cable Lock




DL1002

Features

- Ultra-lightweight and small but offers dependable security for mid-stop
- A cutting-edge design in security with a multitude of applications
- Optimal locking range
- 3-digit resettable combination design
- Visible number dials

Spec Data






PL3001

Features

- Dual steel cable design for higher cut resistance and security
- Compact and durable makes easy storage in any condition
- Ultra-lightweight and small but offers dependable security for multipurpose
- 3-digit resettable combination design
- Visible number dials

Spec Data




PL3002

Features

- Compact and durable makes easy storage in any condition
- Ultra-lightweight and small but offers dependable security for multipurpose
- Corrosion-resistant and scratch-resistant cable
- 3-digit resettable combination design
- Visible number dials

Spec Data




PL0171

Features

- Built to withstand pressure and tampering
- Provide more versatility and higher security with steel cable
- Convenient and portable
- 4-digit resettable combination design
- High visible large number dials

Spec Data




PL0172

Features

- Built to withstand pressure and tampering
- Provide more versatility and higher security with steel cable
- Convenient and portable
- 4-digit resettable combination design
- High visible large number dials

Spec Data




PL0173

Features

- Built to withstand pressure and tampering
- Provide more versatility and higher security with steel cable
- Convenient and portable
- 4-digit resettable combination design
- High visible large number dials

Spec Data



Security Lock Box



Features


- Small safe for security from theft during outdoor activity or in dormitory, office and more
- Secure to a fixed object with steel cable
- Large capacity to protect multiple valuables
- Portable to carry and easy to use
- 4-digit resettable combination design
- Visible number dials



KB1002



Spec Data




Features

- Heavy-duty flexible dual-steel cable to securely lock around fixed object
- Rust-resistant, impact-resistant, and water-resistant
- Open safe using either resettable 3-digit custom combination code or unique key
- Perfect for beaches, pools, hotels, colleges, home, office, cruises, parks, and more.
- Tubular-style cylinder
- Visible number dials



RL0999

Spec Data



Features

- Spacious Interior
- Adjustable steel cable to securely lock around fixed object
- Rust-resistant, impact-resistant, and water-resistant
- Open safe using either resettable 3-digit custom combination code or unique key
- Perfect for beaches, pools, hotels, colleges, home, office, cruises, parks, and more.
- Tubular-style cylinder
- Visible number dials




RL0988

Versions



Spec Data



Alarm Lock



THE PRODUCTS AS CONTAINED IN THIS CATALOGUE ARE COVERED BY ONE OR MORE OF THE FOLLOWING PATENTS

US Patents

US6880373; US6968716; US7104093; US7213425; US8087274; US8171760; US8171762; US8297086; US8302436; US8528370; US8578743; US8578744; US8596506; US8621898; US8621899; US8640512; US8671721; US8695384; US8707744; USRE45429; US8991225; US9216754; US9574378; US9745780; US9752354; US9764786; US9784015; US10017965; US10113337; US10156087; US10499713; US10513871; US10718138; US10722004; US10731381; US10791638; US10794092; US11203886; USD899219; USD723353; USD719816; USD719813; USD719814; USD719815; USD689357; USD690580; USD691457; USD691871; USD670994; USD667286; USD665648

Taiwan Patents

M434240; M438524; M442395; M442393; M445619; M446807; M446806; D151772; M447911; M457763; M458438; D159739; M484359; M489903; M489535; M492037; M493581; M495397; M508581; M517361; M519165; M520561; D175222; D176594; D176593; D176592; D176591; M526610; M528354; M530338; M531925; D180457; D180456; D180455; D180454; M537134; M547587; M547585; M550766; M551219; M553353; M553352; M553349; M553752; M554495; M557292; M559353; M561122; M564073; M564892; M566457; M567294; M569363; M571640; M575046; M575471; M575470; M575469; D196333; D196332; D197422; D197421; M580617; M583478; M583882; M583880; M586923; M587207; M587678; M587677; M589221; M589220; M590623; D202939; M593454; M594380; M596884; M596805; M600329; M601024; D207003; D207002; D207001; M604342; D209195; D209194; D209193; M608472; M610711; D211132; M613561; M613535; M614260; I735269; M616305; D213651; M618643; M618565; M618459; M618413; M618393; I744008; M619423; I746392; I746371; M621060; D215869

European Patents

FR3084098; FR3092355; FR3067734; FR3080398; FR3079701; GB2583563; GB2565413; GB2575738; GB2573199; GB2545331; GB2510496; EM008449102; EM008423685; EM008097323; EM005519675; EM002378562; EM002303461; EM002303461; EM001929928; EM001929894; EM001895921; EM001351910; EM001351837; EM001351696; EM001345367; EM008401640; EM002878025; DE202021105837; DE202021105159; DE202021104700; DE202021101100; DE20202107597; DE20202106446; DE20202103694; DE20202100646; DE202019105721; DE202019104984; DE202019103891; DE202019100874; DE202018104725; DE202018103671; DE202018103265; DE202016106430; DE202016000127; DE202016000006; DE202016000005; DE202014100423; DE202013102264; DE202013101246; DE202013006623; DE202012102757; DE202019101103; DE202018103312; DE202018101668; DE202014102243; DE202018104167

China Patents

CN305059018; CN303548629; CN303528970; CN302871081; CN215108167; CN206110897; CN305962685; CN304662347; CN302502620; CN214365486; CN211647693; CN109209061; CN103239000; CN102373843; CN305962682; CN214365510; CN213838122; CN211787101; CN211787100; CN211787099; CN210563899; CN204215407; CN111593967; CN215108153; CN209799642; CN205857949; CN306475602; CN215168953; CN214330238; CN207553797; CN207469954; CN206299227; CN204804494; CN103061600; CN306166778; CN305962681; CN305901969; CN209670582; CN209509772; CN208010115; CN206801244; CN102373846; CN102312613; CN306492384; CN306271892; CN306090696; CN306090695; CN306009398; CN306003743; CN305976381; CN305976380; CN305976379; CN305962684; CN305962683; CN305936831; CN305936829; CN305901974; CN305901973; CN305901972; CN305901971; CN305764492; CN305695235; CN305451566; CN305170374; CN305118630; CN304984612; CN304984593; CN304136447; CN303602824; CN303488703; CN303475843; CN303132318; CN303132317; CN302929308; CN302929295; CN302847134; CN215108105; CN214175094; CN214170212; CN213838125; CN213838124; CN213838123; CN212994905; CN212249588; CN211647662; CN211201482; CN211115262; CN210888445; CN210508725; CN210460255; CN210422217; CN210377471; CN210105529; CN209723926; CN209653659; CN209644170; CN209509771; CN209413545; CN209413489; CN209293583; CN208618956; CN208137708; CN208010083; CN207453698; CN207377308; CN207080051; CN207080050; CN207080049; CN207017816; CN206801255; CN206722569; CN206466068; CN206245919; CN206110893; CN205894899; CN205857981; CN205857948; CN205591691; CN205382773; CN205224873; CN204850780; CN204199894; CN204060181; CN204056068; CN203950255; CN203947885; CN203584061; CN203441219; CN112012584; CN111287585; CN110616972; CN109267830; CN107630597; CN107178254; CN106539248; CN106246009; CN104453478; CN104265077; CN103670028; CN103573052; CN103315460; CN103222719; CN102733687; CN102367719; CN102011513; CN101994433; CN101638955

Japan Patents

JP1697939; JP3218291; JP3232010; JP3227428; JP3223601; JP3223272; JP3221383; JP3204222; JP1427953; JP1427952



RL0776


Features

- Multiple alarm trigger sensor
- Theft-deterrent with 110db alarm sound
- Adjustable vinyl coated steel cable to lock and tighten around items
- Push-button retraction for easy cable recoiling
- 4-digit resettable combination design
- Visible number dials



L1154F

Spec Data



More patents pending...





Taiwan Headquarter / Factory

3F, No.2, Lane 93, Chien-1 Road, Chung-Ho Dist., New Taipei City, 235602, Taiwan
TEL: +886.2.8227.6730 FAX: +886.2.8227.6729

China Factory

No. 876, Huayuan Road, Zhangpu Town, Kunshan City, Jiangsu Province, P.R. China
Post code: 215321 TEL: +86.512.5518.7605 FAX: +86.512.5518.7691

Email: info@sinoxlock.com

Website: www.sinoxlock.com



For more product details,
please scan the QR code